

New Jersey Division of HIV/AIDS Services  
Persons Living with HIV/AIDS as of December 31, 2003  
Hunterdon County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	----	---	----	---	----	---
AIDS-Any OI	#	#	#	#	24	24
AIDS-CD4 Only	34	35	0	0	34	35
HIV Only	#	#	#	#	40	41
-----	----	---	----	---	----	---
Total	97	100	#	#	98	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	----	---	-----	----	---	----	---	----	---
<5	0	0	White, Not Hispanic	70	72	0	0	70	71
5-12	#	#	Black, Not Hispanic	#	#	#	#	#	#
13-19	#	#	Hispanic	6	6	0	0	6	6
20-29	#	#	Other/Unknown	#	#	#	#	#	#
30-39	21	21	-----	----	---	----	---	----	---
40-49	45	46	Total	97	100	#	#	98	100
50+	26	27							
Unk.	0	0							
-----	----	---							
Total	98	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males		Females		Total	
	%		%		%	
-----	----	----	----	----	----	----
Men sex with men (MSM)	44	64	0	0	44	46
Injection drug user (IDU)	11	16	13	50	24	25
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	#	#
-----	----	----	----	----	----	----
Total	69	100	26	100	95	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification based on current age at the end of December 2003.

\*\* 2 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2003  
Hunterdon County Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	43	( 29)	34 ( 81)	0	( 0)	0 ( .)	43	( 28)
Other OI w/o PCP	#	( #)	# ( #)	#	( #)	# ( #)	#	( #)
KS Alone	#	( #)	# ( #)	#	( #)	# ( #)	#	( #)
No Disease Listed	50	( 33)	16 ( 34)	0	( 0)	0 ( .)	50	( 33)
Total	150	(100)	94 ( 65)	#	( #)	# ( #)	153	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	#	#	White, Not Hispanic	127	85	0	0	127	83
5-12	0	0	Black, Not Hispanic	#	#	#	#	19	12
13-19	0	0	Hispanic	#	#	#	#	7	5
20-29	14	9	Other/Unknown	0	0	0	0	0	0
30-39	59	39							
40-49	46	30	Total	150	100	#	#	153	100
Over 49	31	20							
Unknown	#	#							
Total	153	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	88	73	0	0	88	59
Injection drug user (IDU)	18	15	15	52	33	22
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	12	10	8	28	20	13
Total	121	100	29	100	150	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of AIDS diagnosis.

\*\* 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
AIDS Cases Reported as of December 31, 2003  
Hunterdon County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	7	7	100%
1985	6	6	100%
1986	6	6	100%
1987	6	6	100%
1988	5	#	#
1989	#	#	#
1990	7	7	100%
1991	9	8	89%
1992	9	8	89%
1993	24	16	67%
1994	10	6	60%
1995	12	7	58%
1996	13	5	38%
1997	7	0	0%
1998	#	#	#
1999	5	#	#
2000	5	#	#
2001	5	0	0%
2002	#	#	#
2003	5	0	0%
-----	-----	-----	-----
Total	153	95	62%

New Jersey Division of HIV/AIDS Services

HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2003  
Hunterdon County Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	34	76	0	0	34	76
5-12	0	0	Black, Not Hispanic	#	#	#	#	9	20
13-19	0	0	Hispanic	#	#	#	#	#	#
20-29	11	24	Other/Unknown	#	#	#	#	#	#
30-39	19	41	-----	-----	---	-----	---	-----	---
40-49	8	17	Total	45	100	#	#	46	100
Over 49	6	13							
Unknown	#	#							
-----	-----	---							
Total	46	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	17	53	0	0	17	38
Injection drug user (IDU)	6	19	6	46	12	27
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	#	#	#	#	11	24
-----	-----	---	-----	---	-----	---
Total	32	100	13	100	45	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	0	.	#	#
Risk not reported/other***	#	#	0	.	#	#
-----	-----	---	-----	---	-----	---
Total	#	#	0	.	#	#

\* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

# indicates that number is not shown due to small cell size,  
in accordance with NJDHSS security and confidentiality policies.

\*\* 0 patients were diagnosed with HIV as adults, but have evidence of having  
been HIV-infected as children. They are counted as adult/adolescent  
reports in tables 1 and 2; and as pediatric reports in table 3.

\*\*\* Included in this category are persons with modes of transmission of  
coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated  
to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS  
that have subsequently been updated to AIDS. Also not included in these tables are  
HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed  
HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been  
found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2003  
Hunterdon County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
AIDS-Any OI	#	#	#	#	103	52
AIDS-CD4 Only	50	26	0	0	50	25
HIV Only	#	#	#	#	46	23
Total	195	100	#	#	199	100

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	#	#	White, Not Hispanic	161	83	0	0	161	81
5-12	0	0	Black, Not Hispanic	#	#	#	#	28	14
13-19	0	0	Hispanic	#	#	#	#	8	4
20-29	35	18	Other/Unknown	#	#	#	#	#	#
30-39	81	41							
40-49	45	23	Total	195	100	#	#	199	100
Over 49	33	17							
Unknown	#	#							
Total	199	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	105	69	0	0	105	54
Injection drug user (IDU)	24	16	21	50	45	23
MSM/IDU	5	3	0	0	5	3
Heterosexual contact	#	#	#	#	9	5
Risk not reported/other***	#	#	#	#	31	16
Total	153	100	42	100	195	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

# Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

\* Classification at time of first HIV+/AIDS diagnosis.

\*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

\*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services  
HIV/AIDS Cases Reported as of December 31, 2003  
Hunterdon County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Number of Cases	Number Known Dead	Case-Fatality Rate
-----	-----	-----	-----
Before 1985	9	9	100%
1985	8	7	88%
1986	10	8	80%
1987	12	12	100%
1988	7	5	71%
1989	5	#	#
1990	17	12	71%
1991	11	9	82%
1992	15	9	60%
1993	18	9	50%
1994	13	#	#
1995	11	5	45%
1996	17	#	#
1997	9	0	0%
1998	5	#	#
1999	8	#	#
2000	#	#	#
2001	8	#	#
2002	5	#	#
2003	8	0	0%
Unknown	#	#	#
-----	-----	-----	-----
Total	199	101	51%